EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment same power) and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:48
		("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and \(increment same power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:46
		("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5 near3) and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:32
		("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5 near3)) and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:31
		("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5 near3) and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:02

EAST Search History

L1	0	(455/421.1).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:05
L2	0	(455/432).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:05
L3	0	370/255,328	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
L4	412	370/255.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
L5	2390	370/328.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
L6	4366	370/328-329.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
L7	865	370/332.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:19
L8	1710	455/422.1.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:20

EAST Search History

L9	0	455/432.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:21
L10	3056	455/436.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:21
S1	521	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:39
S2	166	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit)) and ((Second or another) near2 (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:11
S3	4	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit)) and ((Second or another) near2 (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))) and (configuration near2 (parameter))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:34

EAST Search History

| S4 | 199 | (US-20050233740-$ or US-20020169966-$ or US-20060039321-$ or US-20020108058-$ or US-20040066759-$ or US-20060017809-$ or US-20030043781-$ or US-20040116140-$ or US-20040264429-$ or US-20050064844-$ or US-20060039340-$ or US-20060039563-$ or US-20020115435-$ or US-20040235523-$ or US-20020075823-$ or US-20020128988-$ or US-20020173268-$ or US-20030035122-$ or US-20030092402-$ or US-20030095520-$ or US-20030129981-$ or US-20030142656-$ or US-20030169769-$ or US-20030231715-$ or US-20040009792-$ or US-20040033478-$).did. or (US-20050053023-$ or US-20050083234-$ or US-20050201269-$ or US-20060089127-$ or US-20060130136-$ or US-20060030311-$ or US-20060193284-$ or US-20070072638-$ or US-20050021597-$ or US-20030200108-$ or US-20040047320-$ or US-20050062637-$ or US-20050135422-$ or US-20060094443-$ or US-20060153151-$ or US-20020039895-$ or US-20040142661-$ or US-20050171720-$ or US-20050254444-$ or US-20060012828-$ or US-20060075131-$ or US-20060098238-$ or US-20060141984-$ or US-20060259322-$ or US-20010034209-$ or US-20020111176-$ or US-20020177460-$).did. or (US-20030013469-$ or US-20030033032-$ or US-20030069800-$ or US-20030095524-$ or US-20030134590-$ or US-20040019406-$ or US-20040044453-$ or | US-PGPUB; USPAT | ADJ | ON | 2007/05/29 13:04 |

EAST Search History

S5	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit)) and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:38
S6	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit)) and config$4.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:44
S7	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit)) and configuration.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:40
S8	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5 near3 (message or signal or packet or cell or unit)) and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:32
S9	4	("10215701").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:13

EAST Search History

S10	4	("10215701").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:13
S11	0	"10215701".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:18
S12	0	(US-2003/0061606A1).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:18
S13	0	US-2003/0061606 A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:18
S14	2	2003/0061606	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:20
S15	2	2005/0159173	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 15:12
S16	3	2003/0078037	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S17	4	2004/0025047	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 15:13

EAST Search History

S18	1	2004/0166812	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S19	3	2004/0176032	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S20	3	2002/0178241	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S21	87	("20010023446" | "20020007407" | "20020057803" | "20020077094" | "20020085719" | "20020105925" | "20020116698" | "20020157090" | "20020178241" | "20020183056" | "20020198013" | "20030005290" | "20030005427" | "20030013434" | "20030032417" | "20030033209" | "20030060896" | "20030061606" | "20030078037" | "20030117985" | "20030135762" | "20030186679" | "20030202486" | "20030217289" | "20040022186" | "20040023639" | "20040023640" | "20040025047" | "20040054774" | "20040078598" | "20040082327" | "20040137915" | "20040166812" | "20040176032" | "20040203459" | "20040203593" | "20050114649" | "20050195841" | "20050215263" | "5159625" | "5241598" | "5586304" | "5588143" | "5732275" | "5742829" | "5764899" | "5809251" | "5809287" | "5812531" | "5838730" | "5870610" | "5896566" | "5901320" | "5905719" | "5909437" | "5930513" | "5930704" | "5974312" | "5987575" | "5999741" | "6006034" | "6009274" | "6023585" | "6047129" | "6049671" | "6052531" | "6052600" | "6075943" | "6078663" | "6134593" | "6167137" | "6167514" | "6178512" | "6256506" | "6347398" | "6453159" | "6463584" | "6490291" | "6526506" | "6611500" | "6628934" | "6701435" | "6782260" | "6788656" | "6870822" | "6950670" | "6965674").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/25 13:22

S22	0	S21 and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$4 near3 (message or signal or packet or cell or unit))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:23
S23	87	("20010023446" | "20020007407" | "20020057803" | "20020077094" | "20020085719" | "20020105925" | "20020116698" | "20020157090" | "20020178241" | "20020183056" | "20020198013" | "20030005290" | "20030005427" | "20030013434" | "20030032417" | "20030033209" | "20030060896" | "20030061606" | "20030078037" | "20030117985" | "20030135762" | "20030186679" | "20030202486" | "20030217289" | "20040022186" | "20040023639" | "20040023640" | "20040025047" | "20040054774" | "20040078598" | "20040082327" | "20040137915" | "20040166812" | "20040176032" | "20040203459" | "20040203593" | "20050114649" | "20050195841" | "20050215263" | "5159625" | "5241598" | "5586304" | "5588143" | "5732275" | "5742829" | "5764899" | "5809251" | "5809287" | "5812531" | "5838730" | "5870610" | "5896566" | "5901320" | "5905719" | "5909437" | "5930513" | "5930704" | "5974312" | "5987575" | "5999741" | "6006034" | "6009274" | "6023585" | "6047129" | "6049671" | "6052531" | "6052600" | "6075943" | "6078663" | "6134593" | "6167137" | "6167514" | "6178512" | "6256506" | "6347398" | "6453159" | "6463584" | "6490291" | "6526506" | "6611500" | "6628934" | "6701435" | "6782260" | "6788656" | "6870822" | "6950670" | "6965674").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/25 15:15
S24	1	("0128035").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:21
S25	0	(2002/0128035).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:21

EAST Search History

S26	2	("20020128035").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:23
S27	2	("6965674").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:23
S28	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5 near3 (message or signal or packet or cell or unit)).and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 10:56
S29	8	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless near2 (station or base or node or (access adj point)) or (mobile near2 (station or base or node))) same (configur$5 near3 (message or signal or packet or cell or unit)) and configur$5.ti. NOT S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:01
S30	86	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:33

EAST Search History

S31	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and discovery	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:35
S32	48	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and (identi$8) and power	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:36
S33	16	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and (identi$8) and ("802. 11")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:37
S34	4	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and (identi$8) and ("802. 11") and (security near2 key)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:39
S35	1	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and (identi$8) and ("802. 11") and (security near2 key) and (power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:41

EAST Search History

S36	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and configur$5.ti. and (random near3 (generat$3 or number$3)) and ((access adj point) and client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:42
S37	23	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and (random near2 (generat$4 or number$3)) and ((access adj point) and client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:44
S38	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and (random near2 (generat$4 or number$3)) and ((access adj point) and client) and (power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 13:27
S39	2	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and (random near2 (generat$4 or number$3)) and ((access adj point) and client) and (RF adj power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:46

S40	20	(US-20040082327-$ or US-20040198319-$ or US-20040078598-$ or US-20040203459-$ or US-20020128035-$ or US-20030117985-$ or US-20030005290-$ or US-20020178241-$ or US-20020105925-$ or US-20030035545-$ or US-20040203889-$ or US-20050048963-$ or US-20030078072-$).did. or (US-6788959-$ or US-6775559-$ or US-6615038-$ or US-7133526-$ or US-7003295-$ or US-7107620-$ or US-7187925-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/05/29 12:54
S41	0	("9092450").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S42	0	(09/092450).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S43	1	("0092450").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S44	2	("8911318").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:02
S45	2	"08911318"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 13:02

S46	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur$5) and (random near2 (generat$4 or number$3)) and ((access adj point) and client) and (discovery)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:45
S47	0	"200210012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S48	0	"2002/10012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S49	2	"10012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S50	92	"0012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S51	3	"20020012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S52	50	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:33

S53	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (low same power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:29
S54	2	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (increment same power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 17:10
S55	958	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (increment same power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:46
S56	1	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (increment same power) and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:48
S57	378	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (increment same power) and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:58
S58	12	("5640414" | "5696903" | "5701294" | "5974236" | "6038448" | "6072778" | "6097703" | "6132306" | "6154489" | "6421374" | "6445917" | "6708042").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/30 10:49

S59	72	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (increment same power) and ((wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (period near3 time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:00
S60	21	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (increment same power) and ((wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:12
S61	85	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment OR INCREASE) WITH power) and ((wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:36
S62	64	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment OR INCREASE) WITH power) and ((wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message) NOT S60	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:38
S63	16	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (AP and client) and (WEP key) and "802.11"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 17:11

S64	12	("20020034192" | "20020051184" | "20020094778" | "20020111138" | "20030078002" | "5287545" | "6633757" | "6721787" | "6807413" | "6965948" | "7010323" | "7024183").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/06/04 12:29
S65	28	(US-20020178241-$ or US-20060153151-$ or US-20020128035-$ or US-20060089127-$ or US-20030005290-$ or US-20030117985-$ or US-20040203889-$ or US-20020105925-$ or US-20030035545-$ or US-20070097925-$ or US-20050048963-$ or US-20040078598-$ or US-20050090259-$ or US-20040077341-$ or US-20030078072-$ or US-20050101340-$ or US-20040198319-$ or US-20040082327-$).did. or (US-7092713-$ or US-6615038-$ or US-7133526-$ or US-6788959-$ or US-6708042-$ or US-6859463-$ or US-7187925-$ or US-7184707-$ or US-7003295-$ or US-6775559-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:48
S66	5	S65 and user and discovery	US-PGPUB; USPAT	ADJ	ON	2007/06/05 08:22
S67	28	(US-20020178241-$ or US-20060153151-$ or US-20020128035-$ or US-20060089127-$ or US-20030005290-$ or US-20030117985-$ or US-20040203889-$ or US-20020105925-$ or US-20030035545-$ or US-20070097925-$ or US-20050048963-$ or US-20040078598-$ or US-20050090259-$ or US-20040077341-$ or US-20030078072-$ or US-20050101340-$ or US-20040198319-$ or US-20040082327-$).did. or (US-7092713-$ or US-6615038-$ or US-7133526-$ or US-6788959-$ or US-6708042-$ or US-6859463-$ or US-7187925-$ or US-7184707-$ or US-7003295-$ or US-6775559-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:48

S68	8	S67 and WEP and client	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:59
S69	7	S67 and WEP and client and "802.11"	US-PGPUB; USPAT	ADJ	ON	2007/06/05 11:01
S70	7	S67 and WEP and "802.11"	US-PGPUB; USPAT	ADJ	ON	2007/06/05 11:01
S71	11	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and WEP and "802.11" and (configuration adj parameter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:12
S72	293	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) and user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:47
S73	81	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:11
S74	0	("370.clas") and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:50
S75	17	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery near2 message)same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:09
S76	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((discovery near2 message) and (configuration near2 message))same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:10

S77	968	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:03
S78	0	("370.clas") and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:03
S79	302	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator) same antenna	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:26
S80	31	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator) same (antenna and transceiver)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:16
S81	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or. @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status and configuration sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 11:49
S82	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status and (configuration adj sequence))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:17
S83	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status near5 configuration)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:45

S84	619	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:45
S85	0	AUTHENTICATION IN A PACKET DATA NETWORk	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 08:46
S86	0	Henry Haverine	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 08:46
S87	2	("20020012433").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:46
S88	0	(2001/0014593).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:48
S89	2	("20010014593").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:48
S90	1631	(370/254).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 11:37
S91	82	(455/270).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 12:06

EAST Search History

S92	1014	(455/419).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:04
S93	901	455/419.ccls. and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 12:07

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = HONG
First Name = JAY

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09706240	7120133	150	11/03/2000	SYSTEM AND METHOD OF LINKING A WIRELESS SIGNALING PROTOCOL WITH A MEDIA GATEWAY CONTROL PROTOCOL IN A PACKET-BASED NETWORK	HONG, JAY WU
09724812	7006479	150	11/28/2000	SYSTEM AND METHOD OF A WIRELESS NETWORK OPERATION AND MAINTENANCE	HONG, JAY WU
10722993	Not Issued	30	11/26/2003	Method and apparatus for automatically configuring devices on a wireless network	HONG, JAY WU
11315847	Not Issued	30	12/20/2005	System and method of a wireless network operation and maintenance	HONG, JAY WU
11515316	Not Issued	25	09/01/2006	Methods for ring tone supression informing and for informing a cellular telephone with configuration data	HONG, JAY WU

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
HONG	JAY	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page